



Every Arctic Cat is designed in Minnesota and assembled

by American workers in the town of Thief River Falls.

That means your sled is built with pride,

right in the heart of snowmobiling country.



Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful; you can get hurt. Wear an approved helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefully controlled conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. Never attempt to duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport. All materials and specifications are subject to change without notice. All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material available as of January 1, 2019. All rights reserved. Cobral and Ripsawl are trademarks of Camso Inc. Diamond Direct Drive is a trademark of Black Diamond, Inc. FOX®, FOX FLOAT® and FOX® ZERO are registered trademarks of FOX Racing Shox. TEAM® Rapid Response™ is a trademark of TEAM industries. ACT™, AlphaOne™, Arctic Cat®, Arctic Mountain Suspension™, Arctic Race Suspension™, ARS™, Ascender™, Arctic Wishbone Suspension™, AWS™, Bearcat®, C-TEC2™, C-TEC4™, ATAC™, Mountain Cat®, Power Claw™, ProClimb™, SLIDE-ACTION Rear Suspension™, Sno Pro®, Sno-Cross™, Team Arctic®, Thundercat®, Torque-Sensing Link™ and ZR® are trademarks or registered trademarks of Arctic Cat Inc. The Arctic Cat snowmobile brand is among the most widely recognized and respected in the industry. The company designs, engineers, manufactures and markets snowmobiles, in addition to related parts, garments and accessories under the Arctic Cat brand name. For more information, visit; www.arcticcat.com. ARCTICCAT.COM ARCTIC CAT'S ONLINE HO. EVERYTHING FROM MACHINES AND SPECS DOWN TO THE ACCESSORIES AND GEAR YOU NEED TO TAKE ON THE WORLD. Part #82655-G2.







SNOWMOBILES

arcticcat.com









BLAST SERIES

MID-SIZED WITH A MEAN STREAK

With a lightweight, mid-sized chassis and the industry's first 400cc single-cylinder EFI 2-stroke engine, these sleds deliver a best-in-class power-to-weight ratio.



RIOT X WITH ALPHA ONE™

A CROSSOVER WITH AN X FACTOR

Last year, we started a riot, with the first true 50/50 crossover sled. This year, we're giving the RIOT X the ALPHA ONE Single-Beam Rear Suspension, letting you tackle even the most unforgiving terrain.



NEW MOUNTAIN MODELS

ALL HAIL THE KING

Arctic Cat® owns the mountain. Not only do all of our mountain models come with the revolutionary ALPHA ONE Single-Beam Rear Suspension, but this year we're adding ATAC™ Adjustable On-the-Fly Suspension to select models.



BREALTERUUGH

TECHNOLOGIES THAT SET RIDERS FREE.

Nothing should stand between you and the ride you want. That's why we take an unrelenting approach to uncovering new innovations that give more riders the freedom to go more places.



SINGLE-BEAM REAR SUSPENSION

ALPHA ONE™ unlocks the mountain with the revolutionary single-beam design for incredible maneuverability. With minimal input, you get effortless deep-snow cornering, carving, side-hilling and more. You've never felt a ride like this.

Instead of using a traditional dual-rail suspension, ALPHA ONE has a single aluminum rail that runs right down the center of a Power Claw™ track, delivering agility that dual-rail sleds can't match.

The single-beam design of ALPHA ONE eliminates almost all snow accumulation that weighs you down.



ADJUSTABLE ON-THE-FLY SUSPENSION

The terrain can change quickly. Now you can be ready for whatever comes at you with ATAC™ Adjustable On-the-Fly Suspension. With the push-button command of three firmness settings, lockout mode and two individual rider profiles, you'll always ride on your terms.





Dual LED screens and

make it easy to adjust

suspension in seconds.

handlebar-mounted controls

ATAC's FOX® ZERO iQS shocks feature piggyback reservoirs, three compression settings (Soft, Medium and Firm) and two custom rider profiles.

ΠA

MID-SIZED THE ONLY TRUE MID-SIZED SLED BLAST is the right size for your next adventure: bigger than our ZR 200 youth sleds, but smaller and more nimble than a full-sized sled. 400cc SINGLE-CYLINDER 2-STROKE EFI ENGINE Armed with a powerful, industry-first engine and a best-in-class power-to-weight ratio, the NEW LIGHTWEIGHT MID-SIZED CHASSIS new BLAST Series packs jaw-dropping features UNRIVALED SUSPENSION TECHNOLOGY into a mid-sized sled. That means faster turns, easier rides, and fewer compromises. ^ ^ ^ ^ ^ **ELECTRIC START** ^ ^ ^ ^ ^



400cc SINGLE-CYLINDER 2-STROKE EFI ENGINE

With a design that's compact and lightweight (under 50 pounds), this EFI engine brings 65HP performance to every ride. Plus, a three-stage exhaust valve delivers improved throttle response. The result—a lightweight but mighty power source that fuels a ride like no other.



BLAST M WITH ALPHA ONE™ NEW FOR 2021

Loaded with the agility of ALPHA ONE, the new BLAST M is putting higher altitudes on notice.

- ALPHA ONE SINGLE-BEAM REAR SUSPENSION
- ARCTIC MOUNTAIN SUSPENSION
- CHALLENGER TRACK
- LIGHTWEIGHT ONE-PIECE TUNNEL



BLAST ZR® NEW FOR 2021

Born with the bloodline of racing champions, the BLAST ZR trail sled is ready to defy a few expectations.

- SLIDE-RAIL REAR SUSPENSION
- TRAIL 6 SKI
- LIGHTWEIGHT ONE-PIECE TUNNEL



BLAST LT NEW FOR 2021

Handle every job on your terms, or just cut loose on the trails.

The BLAST LT sport utility sled is designed to let you work hard and play even harder.

- XTRA-ACTION REAR SUSPENSION
- STANDARD TUNNEL RACK
- MID-HEIGHT WINDSHIELD
- RAISED SEAT

O6



CROSSOVER

MOUNTAIN





RIOT X 8000 WITH ALPHA ONE NEW FOR 2021

- NEXT GENERATION 800cc C-TEC2 165HP-CLASS ENGINE
- ARCTIC MOUNTAIN SUSPENSION
- FOX* 1.5 ZERO QS3 OR ARCTIC CAT IFP 1.5 SHOCKS
- PROCLIMB™-7 G2 MOUNTAIN SKIS
- ELECTRIC START
- NEW 2.6" POWER CLAW™ TRACK



The single-beam design of ALPHA ONE delivers drastically improved maneuvering while eliminating snow pack that can weigh you down.



RIOT 8000

- NEXT GENERATION 800cc C-TEC2 165HP-CLASS ENGINE
- ARS™ II FRONT SUSPENSION WITH FOX 1.5 ZERO QS3 OR Arctic Cat IFP 1.5 Ski shocks
- LIGHTWEIGHT CROSS-ACTION REAR SUSPENSION (EXCLUSIVELY FOR RIOT)
- FOX 2.0 ZERO QS3 OR ARCTIC CAT IFP 2.0 REAR TRACK SHOCKS
- PROCLIMB-7 G2 MOUNTAIN SKIS
- ELECTRIC STA

RIOT 6000

- 600cc C-TEC2 125HP-CLASS ENGINE
- ARS II FRONT SUSPENSION WITH FOX 1.5 ZERO QS3 OR ARCTIC CAT IFP 1.5 SKI SHOCKS
- LIGHTWEIGHT CROSS-ACTION REAR SUSPENSION (EXCLUSIVELY FOR RIOT)
- FOX 2.0 ZERO QS3 OR ARCTIC CAT IFP 2.0 Rear track shocks
- PROCLIMB-7 G2 MOUNTAIN SKIS
- ELECTRIC START

N8





M 8000 MOUNTAIN CAT ALPHA ONE

- NEXT GENERATION 800cc C-TEC2™ 165HP-CLASS ENGINE
- AVAILABLE ATAC ADJUSTABLE ON-THE-FLY SUSPENSION WITH LOCKOUT MODE
- FOX° FLOAT 3 IQSL REAR TRACK SHOCKS
- ALL-NEW FOX FLOAT 3 IQS FRONT SHOCKS
- ASCENDER PLATFORM
- 3" POWER CLAW™ TRACK
- AVAILABLE IN 154" OR 165" TRACK LENGTHS



M 8000 HARDCORE ALPHA ONE

- NEXT GENERATION 800cc C-TEC2 165HP-CLASS ENGINE
- FOX 1.5 ZERO QS3 COIL-OVER SHOCKS
- ASCENDER PLATFORM
- REINFORCED RUNNINGBOARDS AND TWO-PIECE TUNNEL
- 2.6" OR 3" POWER CLAW TRACK
- AVAILABLE IN 154" OR 165" TRACK LENGTHS







- ARS™II FRONT SUSPENSION
- SLIDE-ACTION REAR SUSPENSION™
- FOX® 1.5 ZERO QS3 OR FOX 1.5 ZERO IQS SKI SHOCKS
- FOX 2.0 ZERO QS3 OR FOX 2.0 ZERO IQS REAR TRACK SHOCKS



- = 200+ HP-CLASS 998cc TURBO ENGINE

^ ^ ^ ^ ^

^ ^ ^ ^ ^ ^

^ ^ ^ ^ ^ ^ ^



Dominate any trail with ATAC™, which lets you switch your suspension firmness at the push of a button.





- 600cc C-TEC2 125HP-CLASS ENGINE
- ARS II FRONT SUSPENSION
- SLIDE-ACTION REAR SUSPENSION
- FOX 1.5 ZERO QS3 OR FOX 1.5 ZERO IQS SKI SHOCKS
- FOX 2.0 ZERO QS3 OR FOX 2.0 ZERO IQS REAR TRACK SHOCKS



- NEXT GENERATION 800cc C-TEC2™ 165HP-CLASS ENGINE
- ARS II FRONT SUSPENSION

ZR 8000 LIMITED

- SLIDE-ACTION REAR SUSPENSION
- FOX 1.5 ZERO QS3 OR FOX 1.5 ZERO IQS SKI SHOCKS
- FOX 2.0 ZERO QS3 OR FOX 2.0 ZERO IQS REAR TRACK SHOCKS
- ELECTRIC START



ZR 8000 RR

- NEXT GENERATION 800cc C-TEC2 165HP-CLASS ENGINE
- ARS II FRONT SUSPENSION
- SLIDE-ACTION REAR SUSPENSION
- KASHIMA-COATED FOX 1.5 ZERO QS3R SKI SHOCKS
- KASHIMA-COATED FOX 1.5 ZERO QS3 FRONT TRACK SHOCKS
- KASHIMA-COATED FOX 2.0 ZERO QS3R REAR TRACK SHOCKS
- ELECTRIC START




- ELECTRIC START



ZR 6000 R XC

- 600cc C-TEC2 125HP-CLASS ENGINE
- ARS II FRONT SUSPENSION
- SLIDE-ACTION REAR SUSPENSION
- KASHIMA-COATED FOX 1.5 ZERO QS3R SKI SHOCKS
- KASHIMA-COATED FOX 1.5 ZERO QS3 FRONT TRACK SHOCKS
- KASHIMA-COATED FOX 2.0 ZERO QS3R REAR TRACK SHOCKS
- ELECTRIC START



help you blaze a trail of your own.




There's work to be done. And when the job is over, it's time to cut loose. That's what this work-hard, play-hard vehicle is all about. It's loaded with productivity-focused features that give this trusted Arctic Cat snowmobile an extra load of work ethic.



NORSEMAN X 8000

- NEXT GENERATION 800cc C-TEC2™ 165HP-CLASS ENGINE
- XTRA-ACTION REAR SUSPENSION
- PAINTED CHASSIS
- ELECTRIC START



- NEW LIGHTER-WEIGHT REAR SUSPENSION RAILS
- 5-WAY ADJUSTABLE SHOCKS (FRONT AND REAR)
- PAINTED CHASSIS
- ELECTRIC START

- 5-WAY ADJUSTABLE FRONT SHOCKS
- NEW PAINTED CHASSIS
- HAND WARMERS
- COBRA™ TRACK

XTRA-ACTION

2021 LINEUP

STANDARD FEATURES



Ice Scratchers



Hand and Thumb Warmer, Rear Rack, Tether Switch



Hand and Thumb Warmer, Tether Switch





Ice Scratchers, Lightweight Mountain Brake Disc, Sport

Front Bumper, Tether Switch, Vertical Steering



Ice Scratchers, Lightweight Mountain Brake Disc, Sport

Front Bumper, Tether Switch, Vertical Steering



Warmers, Ice Scratchers, Sport Front Bumper, Steering,

Tether Switch



Front Bumper, Standard Brake Disc, Steering, Tether Switch

M 8000 MOUNTAIN CAT M 8000 MOUNTAIN CAT **BLAST ZR BLAST M** BLAST LT M 8000 HARDCORE ALPHA ONE **RIOT X 8000 RIOT 8000 ALPHA ONE WITH ATAC ALPHA ONE** COLOR OPTIONS Camo/White/Fire Red (Limited) Fire Red/Black Dynamic Charcoal/Red Dynamic Charcoal/Green STANDARD COLORS Dynamic Charcaol/Fire Red Dynamic Charcoal/Medium Green, Blue/White Fire Red/Dynamic Charcoal Fire Red/Dynamic Charcoal Dynamic Charcoal/Orange Hyper Green/Black Woody's Orange/Blue Woody's Orange/Blue **ENGINE / TYPE / DISPLACEMENT** 4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder 4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder 4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder / COOLING / CYLINDERS FUEL CAPACITY / 11.7 gal / 3.25 gt 11.7 gal / 3.25 gt 11.7 gal / 3.25 gt 10.4 or 11.7 gal / 3.25 gt 10.4 gal / 3.25 gt 10.4 or 11.7 gal / 3.25 gt 11.7 gal / 3.25 gt 11.7 gal / 3.25 gt OIL SYSTEM CAPACITY DRIVE CLUTCH CVTech Trailbloc CVTech Trailbloc CVTech Trailbloc TEAM Rapid Response II DRIVEN CLUTCH CVTech Invance CVTech Invance CVTech Invance TEAM Rapid Reaction BOSS USPENSION FRONT SUSPENSION Arctic Race Suspension (ARS) II Arctic Mountain Suspension (AMS) CROSS-ACTION with 3 Wheel Rear Axle Assembly, Torque-XTRA-ACTION Rear Suspension with Dual Shocks Slide-Rail, Dual Shock ALPHA-ONE Rear Suspension, REAR SUSPENSION ALPHA-ONE Rear Suspension ALPHA-ONE Rear Suspension ALPHA-ONE Rear Suspension ALPHA-ONE Rear Suspension Sensing Link Rear Arm and Adjustable and Adjustable Torsion Springs and Adjustable Torsion Springs FLOAT-ACTION Torsion Springs FOX FLOAT 3 QS3 FOX FLOAT 3 iQS Arctic Cat IFP 1.5 or FOX 1.5 ZERO QS3 SKI SHOCKS Hydraulic Twin Tube Hydraulic Twin Tube Hydraulic Twin Tube FOX 1.5 ZERO QS3 COIL-OVER Arctic Cat IFP 1.5 or FOX 1.5 ZERO QS3 Coil-Over FRONT TRACK SHOCK FOX FLOAT 3 QS3 Arctic Cat IFP 1.5 Arctic Cat IFP 1.5 Hydraulic Twin Tube Hydraulic Twin Tube Hydraulic Twin Tube FOX 1.5 ZERO QS3 COIL-OVER Arctic Cat IFP 1.5 or FOX 1.5 ZERO QS3 Coil-Over REAR TRACK SHOCK Hydraulic Twin Tube Hydraulic Twin Tube Hydraulic Twin Tube FOX FLOAT 3 QSL FOX FLOAT 3 iQSL FOX 1.5 ZERO QSL COIL-OVER Arctic Cat IFP 1.5 or FOX 1.5 ZERO QS3 Arctic Cat IFP 2.0 or FOX 2.0 ZERO QS3 CHASSIS & TRACK CHASSIS OVERALL LENGTH / 128 in. / 44-46 in. / 38.5 in. 128 in. / 44-45 in. / 50.5 in. 115 in. / 44-45 in. / 38 in. 132/137 in. / 42.5-44.5 in. / 50 in. 137 in. / 42.5-44.5 in. / 50 in. 132/137 in. / 42.5-44.5 in. / 50 in. 131 in. / 46.5-48.5 in. / 49 in. 132 in. / 48-49 in. / 48 in. WIDTH / HEIGHT TRACK TYPE Challenger Cobra Standard Power Claw Power Claw Power Claw Power Claw Cobra 15 in. / 146 in. / 1.60 in. TRACK WIDTH / LENGTH / LUG 15 in. / 146 in. / 2 in. 14 in. / 121 in. / 1 in. 15 in. / 154 or 165 in. / 3 in. 15 in. / 165 in. / 3 in. 15 in. / 154 or 165 in. / 2.6 or 3 in. 15 in. / 146 in. / 2.60 in. 15 in. / 146 in. / 1.35 or 1.60 37-39 in. Adjustable SKI STANCE 37.5-38.5 in. Adjustable 37.7-38.5 in. Adjustable 35.5-37.5 in. Adjustable 35.5-37.5 in. Adjustable 35.5-37.5 in. Adjustable 39.5-41.5 in. Adjustable 41.5-43.5 in. Adjustable TYPE OF GAUGE Digital Deluxe Digital Deluxe Digital Deluxe Digital Digital Digital Deluxe Digital Deluxe Digital STARTER Manual or Electric Push Button Electric Push Button Electric - Key Manual or Electric Push Button Manual Electric Push Button Electric - Key Electric - Key HEADLIGHTS Dual Halogen 2-Bulb or LED with Accent Light Halogen 1-Bulb Halogen 1-Bulb Halogen 1-Bulb LED with Accent Light LED with Accent Light LED with Accent Light Dual Halogen 2-Bulb or LED with Accent Light WINDSHIELD 4 in. Low-Height 15.5 in. Mid-Height 4 in. Low-Height 1 in. Mountain-Height 1 in. Mountain-Height 1 in. Mountain-Height 1 in. Mountain-Height 5.5 in. Race-Height 12V Outlet, Goggle Holder, Hand and Thumb Warmers, 12V Outlet, Goggle Holder, Hand and Thumb Warmers, 12V Outlet, Goggle Holder, Hand and Thumb Warmers, 12V Outlet, Brake Disc, Goggle Holder, Hand and Thumb Hand and Thumb Warmers, Tether Switch, 12V Outlet, Hand and Thumb Warmers, Ice Scratchers, Sport

16

Ice Scratchers, Lightweight Mountain Brake Disc,

Sport Front Bumper, Tether Switch, Vertical Steering

















	RIOT 6000	ZR 9000 THUNDERCAT	ZR 6000 R XC	ZR 8000 RR	ZR 6000/8000 LTD	NORSEMAN X 8000	ZR 200 ES	ZR 120	
COLOR OPTIONS									
STANDARD COLORS	Dynamic Charcoal/Green	Dynamic Charcoal/Green	Medium Green	Medium Green	Medium Green/Dynamic Charcoal	Fire Red	Red, Dynamic Charcoal/Electrolime, Dynamic Charcoal/Medium Green	Medium Green	
ENGINE									
ENGINE / TYPE / DISPLACEMENT / COOLING / CYLINDERS	6000 C-TEC2 / 2-Stroke / 599cc / Liquid / 2 Cylinder	9000 C-TEC4 / 4-Stroke / 998cc / Liquid / 3 Cylinder - Turbocharged	6000 C-TEC2 / 2-Stroke / 599cc / Liquid / 2 Cylinder	8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder	6000 C-TEC2 / 2-Stroke / 599cc / Liquid / 2 Cylinder 8000 C-TEC2 / 2-Stroke / 794cc / Liquid / 2 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	200 / 4-Stroke / 192cc / Air / 1 Cylinder	120 / 4-Stroke / 123cc / Air / 1 Cylinder	
FUEL CAPACITY / OIL SYSTEM CAPACITY	11.7 gal / 3.25 qt	9.9 gal / 3.8 qt	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt	13.7 gal / 3.25 qt	2.2 gal / 0.6 qt	0.5 gal / 0.6 qt	P
DRIVE CLUTCH	TEAM Rapid Response II	TEAM Rapid Response II	TEAM Rapid Response II	TEAM Rapid Response II	TEAM Rapid Response II	TEAM Rapid Response II	Arctic 5.25 in. Diameter (RPM Sensing)	Arctic Centrifugal	ACCE
DRIVEN CLUTCH	TEAM Rapid Reaction BOSS	TEAM Rapid Reaction BOSS	TEAM TSS-04	TEAM Rapid Reaction BOSS	TEAM Rapid Reaction BOSS	TEAM Rapid Reaction BOSS	6.75 in. Diameter Arctic (Roller Cam)	N/A	ALLE
SUSPENSION									
FRONT SUSPENSION	Arctic Race Suspension (ARS) II	Arctic Race Suspension (ARS) II or ARS II with ATAC	Arctic Race Suspension (ARS) II	Arctic Race Suspension (ARS) II	Arctic Race Suspension (ARS) II or ARS II with ATAC	Arctic Race Suspension (ARS)	Arctic Wishbone Suspension (AWS)	Arctic Wishbone Suspension (AWS)	
REAR SUSPENSION	CROSS-ACTION with 3 Wheel Rear Axle Assembly, Torque-Sensing Link Rear Arm and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm and Adjustable Torsion Springs. ATAC Suspension available on select models.	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm and Adjustable Torsion Springs. ATAC Suspension available on select models.	XTRA-ACTION Rear Suspension with adjustable torsion springs and Torque-Sensing Link rear arm	Slide-Rail, Adjustable Torsion Spring, Coil-Over Rear Shock	Slide-Rail, Adjustable Torsion Spring	Create you wan that take
SKI SHOCKS	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 or FOX 1.5 ZERO iQS	FOX 1.5 ZERO QS3R KASHIMA	FOX 1.5 ZERO QS3R KASHIMA	FOX 1.5 ZERO QS3 or FOX 1.5 ZERO iQS	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Hydraulic Twin Tube	to n
FRONT TRACK SHOCK	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 KASHIMA	FOX 1.5 ZERO QS3 KASHIMA	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	N/A	N/A	SHO
REAR TRACK SHOCK	Arctic Cat IFP 2.0	FOX 2.0 ZERO QS3 or FOX 2.0 ZERO iQS	FOX 2.0 ZERO QS3R KASHIMA	FOX 2.0 ZERO QS3R KASHIMA	FOX 2.0 ZERO QS3 or FOX 2.0 ZERO iQS	Arctic Cat IFP 1.5	Hydraulic Twin Tube	N/A	arctico
CHASSIS & TRACK									
CHASSIS OVERALL LENGTH / WIDTH / HEIGHT	132 in. / 48-49 in. / 48 in.	125 in. / 48-49 in. / 52 in.	127 in. / 48.75 in. / 46.5 in.	125 in. / 48-49 in. / 48 in.	125 in. / 48-49 in. / 48 in.	132 in. / 45.5-51.5 in. / 52 in.	84 in. / 35-37 in. / 36 in.	73 in. / 35-37 in. / 34 in.	
TRACK TYPE	Cobra	Ripsaw II	Cobra	Ripsaw II	Ripsaw II	Power Claw	Cobra	Cobra	
TRACK WIDTH / LENGTH / LUG	15 in. / 146 in. / 1.60 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.35 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.25 in.	15 in. / 153 in. / 2.25 in.	10 in. / 93 in. / 1 in.	10 in. / 67 in. / 0.75 in.	13 A 3
SKI STANCE	41.5-43.5 in. Adjustable	42-43 in. Adjustable	42.5-43.5 in. Adjustable	42-43 in. Adjustable	42-43 in. Adjustable	35.5-41.5 in. Adjustable	29.5-31.5 in. Adjustable	29.5-31.5 in. Adjustable	
FEATURES									
TYPE OF GAUGE	Deluxe Digital	Deluxe Digital	Deluxe Digital	Deluxe Digital	Deluxe Digital	Deluxe Digital	N/A	N/A	
STARTER	Electric Push Button	Electric Push Button	Manual	Electric Push Button	Electric Push Button	Electric Push Button	Electric - Key	Manual	
HEADLIGHTS	Dual Halogen 2-Bulb	LED with Accent Light	LED with Accent Light	LED with Accent Light	LED with Accent Light	Dual Halogen 2-Bulb	Halogen 1-Bulb	Halogen 1-Bulb	
WINDSHIELD	5.5 in. Race-Height	11 in. Mid-Height	5.5 in. Race-Height	5.5 in. Race-Height	11 in. Mid-Height	14 in. Mid-Height	4 in. Low-Height	4 in. Low-Height	
STANDARD FEATURES	12V Outlet, Brake Disc, Hand and Thumb Warmers, Ice Scratchers, Sport Front Bumper, Standard Steering, Tether Switch	12V Outlet, Goggle Holder, Handguards, Hand and Thumb Warmers, Heated Drivers Seat, Sport Front Bumper, Standard Brake Disc, Standard Steering, Tether Switch. Tunnel Flare	12V Outlet, Handguards, Hand and Thumb Warmers, Sport Front Bumper, Lightweight Performance Brake Disc, Standard Steering, Tether Switch	12V Outlet, Handguards, Hand and Thumb Warmers, Sport Front Bumper, Lightweight Performance Brake Disc, Standard Steering, Tether Switch	12V Outlet, Goggle Holder, Hand and Thumb Warmers, Sport Front Bumper, Standard Brake Disc, Standard Steering, Tether Switch, Tunnel Flare	Hand and Thumb Warmers, Front Bumper, Tow Hitch, Rear Rack, Tether Switch, 12V Outlet	Brake Disc, Hand and Thumb Warmers, Steering, Tether Switch, Youth Front Bumper	Brake Disc, Hand Warmers, Safety Flag, Steering, Tether Switch, Youth Front Bumper	

PARTS CESSORIES



te the exact sled vant with upgrades ake your experience o new heights.

SHOP NOW AT ticcat.com/gear