

ZR R-XC



FORDONSSPECIFIKATIONER

MOTOR

	ZR 600 R-XC	ZR 858 R-XC
Engine Type	600, 2-Stroke	
Displacement ?	599cc	
Cooling ?	Liquid	
Cylinders ?	2	
Bore x Stroke ?	73.8 x 70 mm	
Lubrication ?	Electronic injection	
Ignition	Digitally Controlled CDI	
Engine Stator Output ?	270W @ 3000 RPM	
Fuel Delivery ?	Dual stage injection	
Exhaust	APV with Tuned Pipe, Pipe Sensor, Stainless Steel Manifold and Muffler	
Fuel Capacity	39.4 L	
Oil System Capacity	2.8 L	
Coolant System Capacity	5.1 L	
Minimum Octane ?	91	

DRIVLINA

	ZR 600 R-XC	ZR 858 R-XC
Drive Clutch ?	ADAPT	
Driven Clutch ?	ADAPT	
Drive System	AC Trail Belt Drive	
Brakes	Stealth Hydraulic Master Cylinder with Race Caliper	
Clutch Calibration ?	0-1,524 m	
Gearing	30/58	
Chain Pitch	Belt	
Track Drive Sprocket ?	8 tooth, 7.2 cm Pitch, Exvolute	
Reverse	Push-Button Engine	

FJÄDRING

	ZR 600 R-XC	ZR 858 R-XC
Front Suspension	AWS 42	
Ski Shocks	FOX QS3R	
Sway Bar ?	Standard	
Front Travel	20.8 cm	
Rear Suspension	R-XC SLIDE-ACTION with 4-Wheel Rear Axle Assembly, Coupling Blocks, Torque-Sensing Link Rear Arm, and Adjustable Torsion Springs	
Front Track Shock	FOX 1.5 QS3	
Rear Track Shock	FOX 2.0 QS3R	

	ZR 600 R-XC	ZR 858 R-XC
Rear Travel	34.3 cm	

DIMENSIONER

	ZR 600 R-XC	ZR 858 R-XC
Overall Chassis Length	320 cm	
Overall Chassis Width	122-124.5 cm	
Overall Chassis Height	122 cm	
Track Type	Cobra	
Track Width	38 cm	
Track Length	348 cm	
Lug	34 mm	
Pitch ?	7.2 cm	
Ski Stance	105.5-108 cm Adjustable	
Ski Type/Width	Trail - 15 cm	
Runner Type	Single Runner w/ Carbide	

INSTRUMENTERING

	ZR 600 R-XC	ZR 858 R-XC
Type of Gauge	Sport	
Speedometer	Digital	
Tachometer ?	Digital	
Odometer	Digital	

	ZR 600 R-XC	ZR 858 R-XC
Fuel	Digital	
Oil	LCD Icon	
Coolant	Digital Bar Graph	
Clock	N/A	
Battery Voltage	N/A	
Altimeter	N/A	
Hours	Digital	

FUNKTIONER

	ZR 600 R-XC	ZR 858 R-XC
Color	Medium Green/Black	
Heat Exchanger ?	Front/Long Tunnel	
Starter	Electric Push-Button	
Handlebars	Hooked	
Lighting	LED	
Seating	Trail	
Standard Accessories	12V Outlet, Sport Front Bumper, Hand & Thumb Warmers, Handguards, Integrated Goggle Holder, Race Brake Disc, Ratio Steering, Tether Switch, Visor Plug-In	
Windshield	14 cm Low-Height	

Fordonsspecifikationer kan ändras.